

# WARNE Scope Mounts

## Scope Rings & Bases Chart

Combine Model Number + available Finish letter.  
Example: 202L + M = Your Order Number: 202LM

WARNE SCOPE MOUNTS MAXIMA SCOPE RINGS				
Model Number	Ring Height (RH)	Available Finish Glass, Matte, Silver	Mount Type	

MAXIMA Fixed - 1"				
200	Low	.250"	G, M, S	Fixed
201	Med	.375"	G, M, S	Fixed
202	High	.525"	G, M, S	Fixed
203	Extra High	.650"	G, M, S	Fixed

MAXIMA Fixed - 30mm				
213	Low	.250"	G, M, S	Fixed
214	Med	.375"	G, M, S	Fixed
215	High	.525"	G, M, S	Fixed
216	Extra High	.650"	G, M, S	Fixed

MAXIMA Quick Detach - 1"				
200L	Low	.250"	G, M, S	Quick Detach
201L	Med	.375"	G, M, S	Quick Detach
202L	High	.525"	G, M, S	Quick Detach
203L	Extra High	.650"	G, M, S	Quick Detach
204L	Ultra High	.935"	G, M, S	Quick Detach

MAXIMA Quick Detach - 30mm				
213L	Low	.250"	G, M, S	Quick Detach
214L	Med	.375"	G, M, S	Quick Detach
215L	High	.525"	G, M, S	Quick Detach
216L	Extra High	.650"	G, M, S	Quick Detach
217L	Ultra High	.850"	G, M, S	Quick Detach

RUGER #1 Fixed and Blackhawk - 1"				
1R	Med	.460"	G, M, S	Fixed
2R	High	.585"	G, M, S	Fixed

RUGER #1 Quick Detach and Blackhawk - 1"				
1RL	Med	.460"	G, M, S	Quick Detach
2RL	High	.585"	G, M, S	Quick Detach

RUGER #1 Quick Detach and Blackhawk - 30mm				
14RL	Med	.460"	G, M, S	Quick Detach
15RL	High	.585"	G, M, S	Quick Detach

RUGER 77 Fixed M77, & Hawkeye - 1"				
1R7	Med	.460"	G, M, S	Fixed
2R7	High	.585"	G, M, S	Fixed

RUGER 77 Quick Detach M77, & Hawkeye - 1"				
1R7L	Med	.460"	G, M, S	Quick Detach
2R7L	High	.585"	G, M, S	Quick Detach

RUGER 77 Quick Detach M77, & Hawkeye - 30mm				
14R7L	Med	.460"	G, M, S	Quick Detach
15R7L	High	.585"	G, M, S	Quick Detach

### Torque Wrench

**TW1** Torque Wrench - 25in/lb T-15  
A great tool for securing your Warne Maxima rings and bases.



WARNE SCOPE MOUNTS MAXIMA SCOPE RINGS				
Model Number	Ring Height (RH)	Available Finish Glass, Matte, Silver	Mount Type	

SAKO 75 & 85 Fixed - 1"				
1S	Med	.425"	G, M, S	Fixed
2S	High	.535"	G, M, S	Fixed

SAKO 75 & 85 Fixed - 30mm				
14S	Med	.425"	G, M, S	Fixed
15S	High	.535"	G, M, S	Fixed

SAKO 75 & 85 Quick Detach - 1"				
1SL	Med	.425"	G, M, S	Quick Detach
2SL	High	.535"	G, M, S	Quick Detach

SAKO 75 & 85 Quick Detach - 30mm				
14SL	Med	.425"	G, M, S	Quick Detach
15SL	High	.535"	G, M, S	Quick Detach

TIKKA Fixed - 1"				
1T	Med	.425"	G, M, S	Fixed
2T	High	.535"	G, M, S	Fixed

TIKKA Fixed - 30mm				
14T	Med	.425"	G, M, S	Fixed
15T	High	.535"	G, M, S	Fixed

TIKKA Quick Detach - 1"				
1TL	Med	.425"	G, M, S	Quick Detach
2TL	High	.535"	G, M, S	Quick Detach

TIKKA Quick Detach - 30mm				
14TL	Med	.425"	G, M, S	Quick Detach
15TL	High	.535"	G, M, S	Quick Detach

CZ 527 Fixed (16mm Dovetail) - 1"				
1B1	Med	.425"	G, M	Fixed
2B1	High	.535"	G, M	Fixed

CZ 527 Fixed (16mm Dovetail) - 30mm				
14B1	Med	.425"	G, M	Fixed
15B1	High	.535"	G, M	Fixed

CZ 527 Quick Detach (16mm Dovetail) - 1"				
1B1L	Med	.425"	G, M	Quick Detach
2B1L	High	.535"	G, M	Quick Detach

CZ 527 Quick Detach (16mm Dovetail) - 30mm				
14B1L	Med	.425"	G, M	Quick Detach
15B1L	High	.535"	G, M	Quick Detach

CZ 550 Fixed (19mm Dovetail) - 1"				
1B	Med	.425"	G, M	Fixed
2B	High	.535"	G, M	Fixed

CZ 550 Fixed (19mm Dovetail) - 30mm				
14B	Med	.425"	G, M	Fixed
15B	High	.535"	G, M	Fixed

CZ 550 Quick Detach (19mm Dovetail) - 1"				
1BL	Med	.425"	G, M	Quick Detach
2BL	High	.535"	G, M	Quick Detach

CZ 550 Quick Detach (19mm Dovetail) - 30mm				
14BL	Med	.425"	G, M	Quick Detach
15BL	High	.535"	G, M	Quick Detach

WARNE SCOPE MOUNTS TACTICAL & MAXIMA SCOPE RINGS				
Model Number	Ring Height (RH)	Available Finish Glass, Matte, Silver	Mount Type	

TACTICAL - 1"				
601	Med	.440"	M	Fixed
602	High	.605"	M	Fixed
603	Extra High	.770"	M	Fixed
604	Ultra High	.935"	M	Fixed

TACTICAL - 30mm				
614	Med	.440"	M	Fixed
615	High	.580"	M	Fixed
616	Extra High	.715"	M	Fixed
617	Ultra High	.850"	M	Fixed

MAXIMA AR15 Flat Top Aluminum - 1"				
A204L	Ultra High	.935"	M	Quick Detach

MAXIMA AR15 Flat Top Aluminum - 30mm				
A217L	Ultra High	.850"	M	Quick Detach

TACTICAL AR15 Flat Top Aluminum - 1"				
A604	Ultra High	.935"	M	Fixed

TACTICAL AR15 Flat Top Aluminum - 30mm				
A617	Ultra High	.850"	M	Fixed

TACTICAL AR15 Flat Top Aim Point Aluminum - 3mm				
A618LM	Ultra High	.850"	M	Quick Detach
A618M	Ultra High	.850"	M	Fixed

7.3/22 Fixed - 1"				
721	Med	.400"	G,M,S	Fixed
722	Ultra High	.525"	G,M,S	Fixed

### Picatinny Rail Adapters

**A971 Picatinny Rail Adapter**  
Designed to attach to the Ruger style integral dovetail to convert the mount style to a Mil-Spec 1913 Picatinny rail design. With 1913 rail Mil-Spec, multiple-sight systems such as; red dot, holographic, reflex and standard magnified optical sighting is available to the shooter. Works with Warne Maxima Quick Detach rings.

Works with Ruger Mini 14, 30, 77/22, 77/44, PC-9, and PC-40.



**A600 Picatinny Side Mount Rail Adapter**  
For use with Flat Top AR-15 and other tactical firearms. Provides an accessory mount without having to modify the firearm. Fits Mil-Spec 1913 mounting rails and is made from aluminum powder coated matte black.

# WARNE Scope Mounts Scope Rings & Bases Chart

IDENTIFY YOUR MANUFACTURER & MODEL

WARNE SCOPE MOUNT PRODUCT FOR YOUR APPLICATION

Manufacturer & Model	WARNE SCOPE MOUNT PRODUCT FOR YOUR APPLICATION						Tactical Applications ● 1 pc. Base ● 1 pc. Base 20MOA ● 2 pc. Base
	2 pc. Steel Base	1 pc. Aluminum Base *Steel - see note	2 pc. Sintered Base	2 pc. Steel Front Extension Base	2 pc. Steel Rear Extension Base		
<b>Anschutz</b> (All) Marlin A1 & 50 Gloss	M824 / 824	-	S824 / 824	-	-	-	
<b>Benelli</b> Black Eagle & Super Benelli Black Eagle Shotgun	M894 / 870	A995	S894 / 870	M896 (1.04")	-	-	
<b>Browning</b> A-Bolt, A-Bolt .22 & Micro-Medallion, WSM	M918 / 918	-	S918 / 918	M920 (.554) M921 (.854")	M920 (.554) M921 (.854")	M660M (LA) M660-20MOA (LA) M618 / 618 All	
<b>Browning</b> A-Bolt WSSM	M918 / 919	-	S918 / 919	M920 (.554) M921 (.854")	-	-	
<b>Browning</b> BAR, BAR II, Mark II, BLR Lightning, BPR Pump	M848 / 848	A996	S848 / 848	M850 (1.164")	M850 (1.164")	-	
<b>Browning</b> BLR (Steel Receiver)	M838 / 838	-	S838 / 838	-	-	-	
<b>Browning</b> T-Bolt	M824 / 824	-	S824 / 824	M850 (1.164")	M850 (1.164")	-	
<b>Browning</b> X-Bolt	M927 / 929	-	-	-	-	-	
<b>BSA</b> Monarch	M902 / 876	-	S902 / 876	M904 (.554") M905 (.854")	M878 (.700")	-	
<b>Carl Gustav</b> 2000	M902 / 902	-	S902 / 902	M904 (.554") M905 (.854")	M904 (.554") M905 (.854")	-	
<b>Charles Daly</b>	M902 / 830	-	S902 / 830	M904 (.554") M905 (.854")	-	-	
<b>Charles Daly</b> Mini Mauser	M880 / 806	-	S880 / 806	-	-	-	
<b>Churchill</b> Highlander	M902 / 876	-	S902 / 876	M904 (.554") M905 (.854")	M878 / (.700")	-	
<b>CIL</b> 950 & 950C	M898 / 936	-	-	-	-	-	
<b>CIL</b> 972C	M902 / 830	-	S902 / 830	M904 (.554") M905 (.854")	-	-	
<b>Colt</b> Coltsman, 264 Round Top & 30-06 Round Top	M848 / 848	-	S848 / 848	M850 (1.164")	M850 (1.164")	-	
<b>Colt</b> 223, 243, 308 Round Top	M838 / 838	-	S838 / 838	-	-	-	
<b>Colt</b> 57	M902 / 830	-	S902 / 830	M904 (.554") M905 (.854")	-	-	
<b>Cooper</b> 21, 36, 38 & 57	M888 / 842	-	-	-	-	-	
<b>Cooper</b> 16, 22, 50 & 52	M898 / 848	-	S898 / 848	-	-	-	
<b>Cooper</b> 39 & 40	M842 / 842	-	-	-	-	-	
<b>CVA</b> All Round Barrell Models	M980 / 980	-	-	-	-	-	
<b>Dan Wesson</b> 445 Supermag VH	-	*see note <sup>2</sup>	-	-	-	-	
<b>Enfield</b> Remington 30 Style	M848 / 848	-	S848 / 848	M850 (1.164")	M850 (1.164")	-	
<b>Enfield</b> Winchester 70 Style	M902 / 924	-	S902 / 924	M904 (.554") M905 (.854")	-	-	
<b>H&amp;R</b> (Pre 1973) 300, 301, 330 & 370 Handy Rifle	M902 / 830	-	S902 / 830	M904 (.554") M905 (.854")	-	M681M	
<b>Herters</b> J-9	M898 / 828	-	S898 / 828	-	-	-	
<b>Herters</b> U-9 Round Top	M902 / 876	-	S902 / 876	M904 (.554") M905 (.854")	M878 (.700")	-	
<b>High Standard</b> High Power	M898 / 828	-	S898 / 828	-	-	-	
<b>Howa</b> 1500 & 1700	M902 / 876	-	S902 / 876	M904 (.554") M905 (.854")	M878 (.700")	-	
<b>Husqvarna</b> HVA Small Ring, HVA 1600 & HVA 1900	M898 / 828	-	S898 / 828	-	-	-	
<b>Interarms</b> Mark X & Viscount	M902 / 830	-	S902 / 830	M904 (.554") M905 (.854")	-	-	
<b>Interarms</b> Mark X Mini Mauser	M880 / 806	-	S880 / 806	-	-	-	
<b>Kimber</b> M89 BGR	M902 / 924	-	S902 / 924	M904 (.554") M905 (.854")	-	-	
<b>Kimber</b> M82A & B, Hornet, M84A & B with 6-48 Screws	M888 / 842	-	-	-	-	-	
<b>Kimber</b> M82C, M84C & M84 Yonkers	M842 / 842	-	-	-	-	-	
<b>Kimber</b> M8400	M887 / 841	-	-	-	-	-	
<b>Kimber</b> M84 & New 22 with 8-40 Screws	M889 / 843	-	-	-	-	-	
<b>Knight</b> Rifels (round top)	M826 / 826	-	S826 / 826	-	-	-	
<b>Marlin</b> 455	M902 / 830	-	S902 / 830	M904 (.554") M905 (.854")	-	-	
<b>Marlin</b> Camp 9 & Camp 45	M848 / 848	-	S848 / 848	M850 (1.164")	M850 (1.164")	-	
<b>Marlin</b> 9, 45, 30AS, 36, 62, 93, 336, 336C, 375 & 1893	M864 / 864	A997	S864 / 864	-	-	M636-20MOA	
<b>Marlin</b> 1894 Cowboy, 1895, 444, Glenfield 30, Zane Grey	M864 / 864	A997	S864 / 864	-	-	-	
<b>Marlin</b> 989 & 22 Auto	M864 / 864	-	S864 / 864	-	-	-	
<b>Marlin</b> XL 7	M902 / 924	-	S902 / 924	M904 (.554") M905 (.854")	-	M676 (LA) M676-20 MOA (LA)	
<b>Mauser</b> 98 Altered	M902 / 830	-	S902 / 830	M904 (.554") M905 (.854")	-	-	
<b>Mauser</b> FN (Military Model)	M902 / 830	-	S902 / 830	M904 (.554") M905 (.854")	-	-	
<b>Mauser</b> 98 Unaltered	M902 / 832	-	-	M904 (.554") M905 (.854")	-	-	
<b>Mauser</b> Small Ring 96 Unaltered	M898 / 829	-	-	-	-	-	
<b>Mauser</b> Small Ring 96 Altered	M898 / 828	-	S898 / 828	-	-	-	
<b>Mauser</b> Small Ring G33-40	M898 / 828	-	S898 / 828	-	-	-	
<b>Montana</b>	M902 / 924	-	S902 / 924	M904 (.554") M905 (.854")	-	-	
<b>Mossberg</b> 680, 695, 800, 50, 51, 151, 350 & 351	M826 / 826	-	S826 / 826	-	-	-	
<b>Mossberg</b> 1500 & 1700	M902 / 876	-	S902 / 876	M904 (.554") M905 (.854")	-	-	
<b>Musgrave</b> MK III & MK IV	M902 / 830	-	S902 / 830	M904 (.554") M905 (.854")	-	-	

\*<sup>1</sup> Available as Steel 1 pc. Base - M629

\*<sup>2</sup> Available as Steel 1 pc. Base - M630

\*<sup>3</sup> Available as Steel 1 pc. Base - M981

# WARNE Scope Mounts Scope Rings & Bases Chart

IDENTIFY YOUR MANUFACTURER & MODEL

WARNE SCOPE MOUNT PRODUCT FOR YOUR APPLICATION

Manufacturer & Model	WARNE SCOPE MOUNT PRODUCT FOR YOUR APPLICATION						Tactical Applications ● 1 pc. Base ● 1 pc. Base 20MOA ● 2 pc. Base
	2 pc. Steel Base	1 pc. Aluminum Base *Steel - see note	2 pc. Sintered Base	2 pc. Steel Front Extension Base	2 pc. Steel Rear Extension Base		
<b>Navy Arms</b> Country Boy Muzzle Loader	M902 / 902	-	S902 / 902	M904 (.554") M905 (.854")	M904 (.554") M905 (.854")	-	
<b>Parker Hale</b> 1000, 1000C, 1100, 1200 & 1700	M902 / 830	-	S902 / 830	M904 (.554") M905 (.854")	-	-	
<b>Raptor Arms</b> Long Action	M902 / 876	-	S902 / 876	M904 (.554") M905 (.854")	M878 (.700")	-	
<b>Remington</b> 30 & 720	M848 / 848	-	S848 / 848	M850 (1.164")	M850 (1.164")	-	
<b>Remington</b> 700	M902 / 876	-	S902 / 876	M904 (.554") M905 (.854")	M878 (.700")	M673 (SA) M674 (LA) M673-20MOA (SA) M674-20MOA (LA)	
<b>Remington</b> 78, 721, 722, 725 & 700 Muzzle Loader	M902 / 876	-	S902 / 876	M904 (.554") M905 (.854")	M878 (.700")	-	
<b>Remington</b> 7400, 7600, 760, 74, FOUR, SIX & New 750	M894 / 870	A995	S894 / 870	M896 (1.04")	-	-	
<b>Remington</b> 742	M868 / 892	A994	-	-	-	-	
<b>Remington</b> 798	M902 / 830	-	S902 / 830	M904 (.554") M905 (.854")	-	-	
<b>Remington</b> 799	M880 / 806	-	S880 / 806	-	-	-	
<b>Remington</b> 541-T, 541S	M826 / 826	-	S826 / 826	-	-	-	
<b>Remington</b> Genesis Muzzle Loader	M980 / 980	-	-	-	-	-	
<b>Remington</b> New Model 7, 600, 660, 670, 673 & XP-100	M902 / 801	-	S902 / 801	M904 (.554") M905 (.854")	-	-	
<b>Ruger</b> 10/22 LR & Mag	M858 / 918	-	S858 / 918	-	-	-	
<b>Ruger</b> Mini 14 Ranch Rifle, 30, 77/22, 77/44, PC9, & PC40	-	A971	-	-	-	-	
<b>S&amp;W</b> 1500, 1600 & 1700	M902 / 876	-	S902 / 876	M904 (.554") M905 (.854")	-	-	
<b>S&amp;W</b> L, K, N & Frame Revolver	-	*see note <sup>1</sup>	-	-	-	-	
<b>S&amp;W</b> X-Frame	-	*see note <sup>3</sup>	-	-	-	-	
<b>Sako</b> TRG 22 & 42	M932 / 932	-	-	-	-	M678 M678-20MOA	
<b>Sauer</b> 90 & 200	M902 / 898	-	-	M904 (.554") M905 (.854")	-	-	
<b>Sauer</b> 202	M902 / 901	-	-	M904 (.554") M905 (.854")	-	-	
<b>Sauer</b> SHR Pro Hunter	M838 / 838	-	S848 / 848	M850 (1.164")	M850 (1.164")	-	
<b>Savage</b> Pre 2003 Bolt Action Flat Receiver	M902 / 936	-	-	M904 (.554") M905 (.854")	M904 (.554") M905 (.854")	M668 (SA) M669 (LA) M668-20MOA (SA) M669-20MOA (LA)	
<b>Savage</b> Accu-Trigger, All Center Fire	M902 / 902	-	S902 / 902	M904 (.554") M905 (.854")	M904 (.554") M905 (.854")	M666 (SA) M667 (LA) M666-20MOA (SA) M667-20MOA (LA)	
<b>Savage</b> 40 & 45	M848 / 848	-	S848 / 848	M850 (1.164")	M850 (1.164")	-	
<b>Sears</b> 511	M898 / 828	-	S898 / 828	-	-	-	
<b>Shilen</b> Round Receiver	M902 / 902	-	S902 / 902	M904 (.554") M905 (.854")	M904 (.554") M905 (.854")	-	
<b>Stevens</b> 200	M902 / 902	-	S902 / 902	M904 (.554") M905 (.854")	M904 (.554") M905 (.854")	-	
<b>Steyr Mannlicher</b> L & LS	M808 / 808	-	-	-	-	-	
<b>Steyr Mannlicher</b> M & MS	M810 / 810	-	-	-	-	-	
<b>Steyr</b> SBS, Pro-Hunter	M918 / 918	-	S918 / 918	M920 (.554") M921 (.854")	M920 (.554") M921 (.854")	M618 / 618	
<b>Traditions</b> Round Barrel	M980 / 980	-	-	-	-	-	
<b>TC</b> Encore & Omega	-	*see note <sup>4</sup>	-	-	-	-	
<b>TC</b> Contender	-	*see note <sup>5</sup>	-	-	-	-	
<b>Voere</b> 2150, 2165-1, 2165-2, 2165-3 & 2165-4	M902 / 830	-	S902 / 830	M904 (.554") M905 (.854")	-	-	
<b>Weather Mark</b> 22	M824 / 824	-	S824 / 824	-	-	-	
<b>Weatherby</b> Mark V Standard & .240WM	M888 / 875	-	-	-	-	-	
<b>Weatherby</b> Mark V Magnum	M902 / 879	-	-	M904 (.554") M905 (.854")	-	-	
<b>Weatherby</b> Vanguard	M902 / 876	-	S902 / 876	M904 (.554") M905 (.854")	-	-	
<b>Westernfield</b> 775 & 780	M826 / 826	-	S826 / 826	-	-	-	
<b>Winchester</b> Model 670 & 770	M902 / 924	-	S902 / 924	M904 (.554") M905 (.854")	-	-	
<b>Winchester</b> Model 70 Std. Pre & Post 64 with .860 RHS	M902 / 924	-	S902 / 924	M904 (.554") M905 (.854")	-	M675 (SA) M676 (LA) M675-20MOA (SA) M676-20MOA (LA)	
<b>Winchester</b> Model 70 WSM	M902 / 924	-	S902 / 924	M904 (.554") M905 (.854")	-	M677 M677-20MOA	
<b>Winchester</b> Model 70 Post 64 Magnum .330 RHS	M902 / 802	-	S902 / 802	M904 (.554") M905 (.854")	-	-	
<b>Winchester</b> Model 70 Pre 64 Magnum .440 RHS	M902 / 818	-	-	M904 (.554") M905 (.854")	-	-	
<b>Winchester</b> Model 70 WSSM	M902 / 903	-	-	M904 (.554") M905 (.854")	-	-	
<b>Winchester</b> Model SXR	M848 / 848	-	S848 / 848	M850 (1.164")	M850 (1.164")	-	
<b>Winchester</b> M 88 & M 100	M902 / 902	-	S902 / 902	M904 (.554") M905 (.854")	M904 (.554") M905 (.854")	-	
<b>Winchester</b> X-150 & Apex Muzzle Loader	M980 / 980	-	-	-	-	-	

\* 1 Available as Steel 1 pc. Base - M629

\* 2 Available as Steel 1 pc. Base - M630

\* 3 Available as Steel 1 pc. Base - M500

\* 4 Available as Steel 1 pc. Base - M987

\* 5 Available as Steel 1 pc. Base - M988